REFERENCES:

1. Paradkar Anant, Pradeep Patil "Porous Polystyrene Beads as Carriers for Self-Emulsifying System Containing Loratadine", **AAPS PharmSciTech** 2006; 7 (1) Article 28.
2. Patil Pradeep, "Effect of Formulation Variables on Preparation and Evaluation of Gelled Self-emulsifying Drug Delivery System (SEDDS) of Ketoprofen", **AAPS PharmSciTech**, 2004; 5(3), 42.
3. Kommuru, T.R., Gurley, B., Khan, M.A., Reddy, I.K., "Self-emulsifying drug delivery systems (SEDDS) of coenzyme Q"1"0: formulation development and bioavailability assessment", **International Journal of Pharmaceutics**, 2001, 212(2), 233-246.
4. Hong Ji-Yeon, Jin-Ki Kim, Yun-Kyoung Song, Jeong-Sook Park and Chong-Kook Kim, "A new self-emulsifying formulation of itraconazole with improved dissolution and oral absorption**", Journal of Controlled Release**, 2006, 110(2), 332-338
5. Chae Gang Soo, Jin Soo Lee, Seon Hwa Kim, Kwang Su Seo, Moon Suk Kim, Hai Bang Lee and Gilson Khang, "Enhancement of the stability of BCNU using self-emulsifying drug delivery systems and in vitro antitumor activity of self-emulsified BCNU-loaded PLGA wafer", **Inter J. of Pharma**. , 2005, 301(1-2) , 6-14
6. Chambin O., V. Jannin, D. Champion, C. Chevalier, M. -H. Rochat-Gonthier and Y. Pourcelot, "Influence of cryogenic grinding on properties of a self-emulsifying formulation**", International Journal of Pharmaceutics**, 2004, 278(1), 79-89.
7. Palamakula Anitha and Mansoor A. Khan, "Evaluation of cytotoxicity of oils used in coenzyme Q_{10} Self-Emulsifying Drug Delivery Systems**", International Journal of Pharmaceutics**, 2004,273(1-2), 63-73.
8. Neslihan Gursoy R. and Simon Benita, "Self-emulsifying drug delivery systems for improved oral delivery of lipophilic drugs**", Biomedecine & Pharmacotherapy**, 2004, 58(3), 173-182
9. Khoo Shui-Mei, Andrew J. Humberstone, Christopher J. H. Porter, Glenn A. Edwards and William N. Charman, "Formulation design and bioavailability assessment of lipidic self-emulsifying formulations of halofantrine**", Inter. J. of Pharma**, 1998,167(1-2), 155-164.
10. Smidt P. Chris de, Miguel A. Campanero and Iñaki F. Trocóniz, "Intestinal absorption of penclomedine from lipid vehicles in the conscious rat: contribution of emulsification versus digestibility**", International Journal of Pharmaceutics**, 2004, 270(1-2), 109-118.
11. Odeberg Johanna Mercke, Peter Kaufmann, Karl-Gunnar Kroon and Peter Höglund, "Lipid drug delivery and rational formulation design for lipophilic drugs with low oral bioavailability, applied to cyclosporine"**, European Journal of Pharmaceutical Sciences**, 2003, 20(4-5), 375-382.

12. O'Driscoll Caitriona M., "Lipid-based formulations for intestinal lymphatic delivery"**, European Journal of Pharmaceutical Sciences**, 2002, 15(5), 405-415.
13. Pouton Colin W., "Lipid formulations for oral administration of drugs: non-emulsifying, self-emulsifying and 'self-microemulsifying' drug delivery systems", **European Journal of Pharmaceutical Sciences**, 11(2)2000, 93-98.
14. MacGregor Karen J., Jonathan K. Embleton, Jon E. Lacy, E. Anne Perry, Linda J. Solomon, Harry Seager and Colin W. Pouton, "Influence of lipolysis on drug absorption from the gastro-intestinal tract**", Advanced Drug Delivery Reviews**, 1997, 25(1), 33-46.
15. Pouton Colin W., "Formulation of self-emulsifying drug delivery systems**",** Advanced Drug Delivery Reviews, 1997, 25(1), 47-58
16. Shah N. H., "Self-emulsifying drug delivery systems with polyglycolyzed glycerides for improving in vitro dissolution and oral absorption of lipophilic drugs"**, International Journal of Pharmaceutics**, 1994, 106(1), 15-23.
17. Craig D. Q. M., H. S. R. Lievens, K. G. Pitt and D. E. Storey, "An investigation into the physico-chemical properties of self-emulsifying systems using low frequency dielectric spectroscopy, surface tension measurements and particle size analysis", **International Journal of Pharmaceutics**, 1993, 96(1-3), 147-155.
18. Kanga Bok Ki, Jin Soo Lee a, Se Kang Chona, Sang Young Jeong c, Soon Hong Yuk b, Gilson Khanga, Hai Bang Lee c, Sun Hang Choc, Development of self-microemulsifying drug delivery systems(SMEDDS) for oral bioavailability enhancement of simvastatin in beagle dogs, International Journal of Pharmaceutics.,274, (2004) 65–73.
19. Bailey Carole A., Piotr Bryla', A. Waseem Malick, The use of the intestinal epithelial cell culture model, Caco-2, in pharmaceutical development, Advanced Drug Delivery Reviews, 22 (1996) 85-103
20. Matuszewska Bozena, Lisa Hettrick, Joseph V. Bondi, David E. Storey, Comparative bioavailability of L-683,453, a 5α-reductase inhibitor, from a self-emulsifying drug delivery , International Journal of Pharmaceutics, 136, (1996), 147-154.
21. Lia Ping, Anasuya Ghosha, Robert F. Wagnera, Steve Krillb, Yatindra M. Joshia, Abu T.M. Serajuddina, Effect of combined use of nonionic surfactant on formation of oil-in-water microemulsions, International Journal of Pharmaceuticsm , 288, (2005), 27–34.
22. Bachhav Y.G. , A.A. Date b,1, V.B. Patravale , Exploring the potential of N-methyl pyrrolidone as a cosurfactant in the microemulsion systems, International Journal of Pharmaceutics,(2006).
23. Taha Ehab I., Saleh Al-Saidan b, Ahmed M. Samyc, Mansoor A. Khana , Preparation and in vitro characterization of self-nanoemulsified drug delivery system (SNEDDS) of all-trans-retinol acetate, International Journal of Pharmaceutics, 285, (2004), 109–119.

24. Araya Hiroshi, Mikio Tomita b, Masahiro Hayashi , The novel formulation design of O/W microemulsion for improving the gastrointestinal absorption of poorly water soluble compounds, International Jonal of Pharmaceutics, 305 ,(2005), 61–74.

25. CraigaD. Q. M. , H. S. R. Lievensb, K. G. Pittb and D. E. Storeyb , An investigation into the physico-chemical properties of self-emulsifying systems using low frequency dielectric spectroscopy, surface tension measurements and particle size analysis, International Journal of Pharmaceutics Volume 96, Issues 1-3, 1993, 147-155

26. Shah N. H., M. T. Carvajal, C. I. Patel, M. H. Infeld and A. W. Malick **,** Self-emulsifying drug delivery systems (SEDDS) with polyglycolyzed glycerides for improving in vitro dissolution and oral absorption of lipophilic drugs International Journal of Pharmaceutics, Volume 106, Issue 1 , 1994, 15-23.

27. Sami Nazzal1, Mansoor A. Khan, Response Surface Methodology for the Optimization of Ubiquinone Self-Nanoemulsified Drug Delivery System, AAPS PharmSciTech 2002; 3 (1) article 3 (http://www.aapspharmscitech.org)

28. Charman SA, Charman WN, Rogge MC, Wilson TD, Dutko FJ, Pouton CW., Self-emulsifying drug delivery systems: formulation and biopharmaceutic evaluation of an investigational lipophilic compound, Pharm Res. 1992 Jan; 9(1):87-93.

29. Feng-Feng Lva , b, Li-Qiang Zhenga, and Chen-Ho Tungb, phase behavior of the microemulsion and the stability of the chloramphanicol in the micro emulsion based ocular drug delivery system, international journal of Pharmaceutics, vol 301, 1-2, 2005, 237-246.

30. Patel Maulik J., Patel Natvarlal M., Ritesh B. Patelb, Rakesh. P. Patel, Formulation and evaluation of self-microemulsifying drug delivery system of lovastatin , Asian Journal of Pharmaceutical Sciences 2010, 5 (6): 266-275

31. Nekkanti Vijaykumar, Karatgi Pradeep, Raghavendra Prabhu, and Raviraj Pillai, Solid Self-Microemulsifying Formulation for Candesartan Cilexetil , AAPS PharmSciTech. 2010 March; 11(1): 9–17.

32. Rajesh B. V ., Reddy T.K.b, Srikanth G., Mallikarjun V., Nivethithai P., LIPID BASED SELF-EMULSIFYING DRUG DELIVERY SYSTEM (SEDDS) FOR POORLY WATER-SOLUBLE DRUGS: A REVIEW, Journal of Global Pharma Technology,2009, 12(2):12-16.

33. Bajaj Himani, Seema Bisht, Mayank Yadav, Vinod Singh, Mamta Singh , SELF EMULSIFYING DRUG DELIVERY SYSTEM: AN APPROACH TO ENHANCE BIOAVAILABILITY, March – 2011, 3(01).